



Coal Mine Construction™ Delay Detonators

*Copper Wire, Copper Shell Electric
Detonators*

AUSTIN POWDER

A TRADITION OF SAFETY, STRENGTH AND SERVICE.

DESCRIPTION

Coal Mine Construction electric detonators are designed to provide the precise control necessary to produce accurate and consistent blasting results in a variety of blasting applications in underground coal mine applications and other industries that require the use of a copper shell electric detonator.

BENEFITS

- 750 mg PETN base charge far exceeds the standard #8 strength detonator.
- Industries strongest copper shell reduces the possibility of water hammer effect.
- Anti-static PVC insulation for added protection from extraneous currents.
- Wide selection of delay intervals provide greater flexibility in blast design.



Properties & Packaging

Coal Mine Construction Delay Detonator Sequence							
Delay #	1	2	3	4	5	6	7
MS Time	25	50	75	100	125	150	175
Coal Mine Construction Delay Detonator Sequence (continued)							
Delay #	8	9	10	11	12	13	14
MS Time	200	250	300	350	400	450	500

Coal Mine Construction Delay Detonators

Properties & Packaging (continued)

Coal Mine Construction Delay Detonator Recommended Firing Current				
Circuit Type	Single Detonator	Single Series	Parallel Series	Parallel
DC [Amps]	0.5	1.5	1.5	1.0–10.0/Detonator
AC [Amps]	0.5	2.0	2.0	1.0–10.0/Detonator

Coal Mine Construction Delay Detonator Packaging & Resistance						
Length		Case Weight		Case Count	Total [Ω]*	Wire Configuration
[ft]	[m]	[lb]	[kg]			
16	4.9	13.2	6.0	100	1.5	Short Fold

* Includes fusehead resistance of 0.9 +/- 0.1 Ω.



For more information and service locations in your area, please contact Austin Powder Company's headquarters:

Austin Powder Company
25800 Science Park Drive
Cleveland, Ohio, USA 44122

Phone: 1-800-321-0752
Fax: 1-216-464-4418
Web: www.austinpowder.com
Email: info@austinpowder.com

STORAGE

Store in accordance with all applicable local, state, provincial and federal laws.

SHELF LIFE

For optimum accuracy, use within five years from date of manufacture under good storage conditions.

UN CLASSIFICATION

Shipping Name: Detonators, Electric
Class & Division: 1.4B
ID Number: UN 0255

DOT REFERENCE NUMBER

EX-0103067

Disclaimer of Warranties and Limitations of Liabilities

"Products described in this bulletin are sold by Austin Powder Company without warranty; express, implied or statutory or as to MERCHANTABILITY, except as expressly stated in Austin Powder's straight bill of lading. Under no circumstances shall seller be liable for loss of anticipated profits, consequential damages or incidental damages."