# **AUSTIN POWDER**

# SAFETY DATA SHEET

**Hydromite 1** 

### according to Regulation (EC) No 1907/2006 (REACH)

Print date: 27.09.2018

Revision date: 27.09.2018

Page 1/8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Hydromite 1

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture:

Explosives for commercial use.

Note the manufacturer's product information.

Use the product only within the framework of existing laws and regulatory approvals.

## · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

AUSTIN POWDER GmbH E-Mail: sdb@austinpowder.at

· Information department:

AUSTIN POWDER GmbH, (Mon. - Fr. 6 - 13): +43(0)3585-2251

E-Mail: sdb@austinpowder.at

· 1.4 Emergency telephone number

Poison Control Center: +43 (01) 406 43 43

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

Expl. 1.1 H201 Explosive; mass explosion hazard.

Ox. Sol. 2 H272 May intensify fire; oxidiser.

Eye Irrit. 2 H319 Causes serious eye irritation.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation. In terms of labelling the derogation according to Art. 23e in conjunction with Appendix I, section 1.3.5 und 2.1 is claimed.

· Hazard pictograms:



(Contd. of page 1)



Print date: 27.09.2018 Revision date: 27.09.2018

# **Hydromite 1**

 Signal word: Danger · Hazard statements:

H201 Explosive; mass explosion hazard.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P250 Do not subject to grinding/shock/friction.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

DO NOT fight fire when fire reaches explosives. P373

P370+P380 In case of fire: Evacuate area.

P312 Call a POISON CENTER/doctor if you feel unwell.

Explosion risk in case of fire. P372

Store in accordance with local/regional/national/international regulations. P401

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

# · 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 6484-52-2 EINECS: 229-347-8	ammonium nitrate	50-100%
Reg.nr.: 01-2119490981-27	♠ Ox. Sol. 2, H272; ♦ Eye Irrit. 2, H319	
CAS: 7631-99-4 EINECS: 231-554-3 Reg.nr.: 01-2119488221-41	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen	2.5-10%
	Ox. Sol. 2, H272;      Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

<sup>·</sup> Additional information For the wording of the listed risk phrases refer to section 16.

# **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

#### · After inhalation:

Take affected persons into fresh air and keep quiet.

Seek immediate medical advice.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

# · After swallowing:

Rinse out mouth, seek medical treatment. Call for a doctor immediately.

#### · 4.2 Most important symptoms and effects, both acute and delayed

#### · Information for doctor:

Symptoms of poisioning may even occur after several hours, therefore medical observation for at least 48 hours



Print date: 27.09.2018 Revision date: 27.09.2018

# **Hydromite 1**

(Contd. of page 2)

after the accident. Particularly for the prevention of pulmonary edema cortisone must be administered by inhalation (depending on the type of drug 5-10 inhalations).

Medical supervision of the patient at least for 72-96 hours.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## · Suitable extinguishing agents:

Explosive material, no fire-fighting!

#### · 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx),

Carbon monoxide (CO),

Ammonia (NH3)-fumes.

If product is directly involved in the fire:

Explosion hazard - no fire fighting. Warn and evacuate the area. At least 300 m away for cover.

If product is not directly involved in the fire:

The fire from spreading to the product must avoid If possible remove product from the danger zone.

#### 5.3 Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Announcing risk of explosion!

# **SECTION 6: Accidential release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

All persons whose presence is not necessary to remove from the affected area.

Avoid contact with skin, clothes and eyes. Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away. Avoid shock or friction.

## · 6.2 Environmental precautions

Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. In case of seepage into the ground inform responsible authorities.

# $\cdot$ 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Pick up mechanically. Announcing risk of explosion!

## · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Handle with care. Avoid jolting, friction and impact.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

## · Information about protection against explosions and fires:

Fire extinguishers provide.

Keep ignition sources away - Do not smoke.

Protect from heat.

Prevent impact and friction.

Use explosion-proof apparatus/fittings and spark-proof tools.



Hydromite 1

Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: For storage is required a national permit
- · Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

Store separately from oxidising and spontaneously flammable substances.

- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Recommended storage temperature: Do not store below 5 °C or above 30 °C.
- · 7.3 Specific end use(s)

No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- $\cdot$  Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures should be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Do not eat, drink, smoke while working.

· Breathing equipment:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

None required during handling of packaged products, in the cases of direct contact with the explosive mass.

Material of gloves

Nitrile rubber, NBR Neoprene glovesThe selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:

Safety glasses

Tightly sealed goggles.

· Body protection: Protective work clothing.

(Contd. on page 5)



Hydromite 1

Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 4)

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid mass Colour: White • Odour: Odourless

· Change in condition

Boiling point/Boiling range: undetermined

Flash point: Not applicable

· Ignition temperature:

Decomposition temperature: >170 °C

· **Self igniting:** Product is not self igniting.

· Danger of explosion: Risk of explosion by shock, friction, fire or other sources of ignition.

Explosive when mixed with combustible material.

Heating may cause an explosion.

· Vapour pressure: Not determined.

• **Density at 20 °C:** 1.2 – 1.3 g/cm<sup>3</sup>

· Solubility in / Miscibility with

Water: Soluble

· Solvent content:

Organic solvents: 0.0 %
Solids content: 100 %

• 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

Risk of explosion by shock, friction, fire or other sources of ignition.

· 10.2 Chemical stability

The product is chemically stable under the recommended conditions of use.

Conditions to avoid:

Avoid: heat, flames, sparks.

Shock, friction (explosive hazard)

· 10.3 Possibility of hazardous reactions

Thermal decomposition begins at 170 °C;

· 10.5 Incompatible materials:

Acids

alkali (lyes)

Avoid contaminations with other chemical/substances, especially chlorid-containing compounds, copper, brass i.a. copper-alloy, chromate and zinc.

· 10.6 Hazardous decomposition products

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Ammonia

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitization: Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.



**Hydromite 1** 

Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 5)

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability

Easily biodegradable.

#### · 12.3 Bioaccumulative potential

No further relevant information available.

# · 12.4 Mobility in soil

No further relevant information available.

- · Ecotoxical effects:
- · Type of test: Effective concentration Method Assessment

Ammonium nitrate, CAS 6484-52-2

To aquatic organisms: LD50/96 h 10 - 100 ppm

For fish: 800 mg / L lethal in 3.9 hours

Sodium nitrate; 7631-99-4

Toxicity to fish: LC50> 1000 mg / L 96 h Daphnia: LC50> 1000 mg / L 24 h

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects

No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation:

Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

The disposal codes of the European list of wastes depend on the country of origin of the waste. This product has got identified uses in a various industries. Thereby, a definite disposal code cannot be stated. The disposal code should be selected in agreement with disposer and/or the competent authority.

- · Uncleaned packagings:
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN0241



Print date: 27.09.2018 Revision date: 27.09.2018

# **Hydromite 1**

(Contd. of page 6)

· 14.2 UN proper shipping name	
· ADR	UN 0241

· IMDG, IATA UN 0241 EXPLOSIVE, TYP E, 1.1D

# · 14.3 Transport hazard class(es)

· ADR



· Class	1 Explosive substances and articles.
· Label	1

· IMDG

· Class Void

· IATA

· Class Void · Label

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: Nο

· 14.6 Special precautions for user Warning: Explosive substances and articles.

· EMS Number: F-A,S-Q

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· Transport category

· Tunnel restriction code B1000C

· UN "Model Regulation": UN 0241 EXPLOSIVE, TYP E, 1.1D

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations.

Handling of explosives is permitted only to persons with the appropriate permission

· 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Liability about information is not warranted although information is given to our best knowledge.

· Relevant phrases:

May intensify fire; oxidiser. H272 Harmful if swallowed. H302 H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

R22 Harmful if swallowed. R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin. Contact with combustible material may cause fire. R8 R9 Explosive when mixed with combustible material.

# **SAFETY DATA SHEET**

Page 8/8



Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 7)

# **Hydromite 1**

- · Department issuing MSDS: Labor Austin Powder
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

INTA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Expl. 1.1: Explosives, Division 1.1

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

 $\cdot$  \* Data compared to the previous version altered.